



AIDS Cases, Deaths, and Persons Living with AIDS, 1985-2004, United States




Note. Data have been adjusted for reporting delays.

AIDS Cases and Deaths among Adults and Adolescents with AIDS, 1985-2004 United States




Note. Data have been adjusted for reporting delays.

AIDS Cases among Adults and Adolescents, by Race/Ethnicity 1985-2004, United States



Note. Data have been adjusted for reporting delays.


AIDS Cases among Adults and Adolescents by Race/Ethnicity, 1985-2004, United States



Note. Data have been adjusted for reporting delays.




Deaths among Adults and Adolescents with AIDS by Race/Ethnicity, 1985-2004, United States



Note. Data have been adjusted for reporting delays.


Deaths among Adults and Adolescents with AIDS by Race/Ethnicity, 1985-2004, United States



Note. Data have been adjusted for reporting delays.




AIDS Cases and Deaths among Persons with AIDS Attributed to Male-to-Male Sexual Contact 1985-2004, United States



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.




AIDS Cases Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity 1985-2004, United States




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

AIDS Cases Attributed to Male-to-Male Sexual Contact by Race/Ethnicity, 1985-2004, United States



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.


AIDS Cases and Deaths among Persons with AIDS Attributed to Injection Drug Use, 1985-2004, United States



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.



AIDS Cases and Deaths among Persons with AIDS Attributed to High-Risk Heterosexual Contact* 1985-2004, United States




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.




AIDS Cases and Deaths among Persons with AIDS Attributed to Male-to-Male Sexual Contact and Injection Drug Use, 1985-2004, United States



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.



AIDS Cases among Female Adults and Adolescents Attributed to High-Risk Heterosexual Contact* by Race/Ethnicity, 1985-2004, United States




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.




Deaths among Female Adults and Adolescents with AIDS Attributed to High-Risk Heterosexual Contact* by Race/Ethnicity, 1985-2004, United States



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.

Adults and Adolescents Living with AIDS by Transmission Category, 1985-2004, United States




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.



Male Adults and Adolescents Living with AIDS by Transmission Category, 1985-2004, United States




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.



Female Adults and Adolescents Living with AIDS by Transmission Category, 1985-2004, United States




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

* Heterosexual contact with a person known to have or at high risk for HIV infection.



Perinately Acquired AIDS Cases, 1985-2004, United States



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

